(SRI SIDDIAH *alias* KUNNIAH.)

(*d*) whether they are aware that much inconvenience is caused to the traffic as the road has become bad owing to want of repairs ?

A.—Sri KADIDAL MANJAPPA (Minister for Revenue and Public Works).—

(*a*) Yes.

(*b*) Rs. 1,22,426.

(*c*) These are being considered.

(*d*) It is reported that the road is in need of repairs.

ಶ್ರೀ ಸಿದ್ದಯ್ಯ ಉರುಫ್ ಕುನ ಯ್ಯ.—ಈ ಲೂಪ್ ರೋಡಾಗಿ ಎರಡು ವರ್ಷ ಕಳೆದು ಈಗ ಅದು ಕೆಟ್ಟು ಹೋಗಿದೆ, ಇದನ್ನು ಯಾವಾಗ ರಿಪೇರಿ ಮಾಡುವುದು ?

*ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ಎರಡುವರ್ಷವಾಗಲಿಲ್ಲ, ಇದರ ಕೆಲಸ ಪೂರ್ತಿಸಿ ಸುಮಾರು ಒಂದು ವರ್ಷವಾಗಿದೆಯೆಂದು ಸರ್ಕಾರಕ್ಕೆ ವರದಿ ಬಂದಿದೆ.

ಶ್ರೀ ಹೆಚ್. ಕೆ. ಶಿವರುದ್ರಪ್ಪ.—ಈ ರಸ್ತೆ ದುರಸ್ತಾಗಬೇಕೆಂದು ಯಾವಾಗ ಸರ್ಕಾರಕ್ಕೆ ವರದಿ ಬಂತು ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ಸರ್ಕಾರಕ್ಕೆ ಬರುವುದಿಲ್ಲ ವರದಿ.

ಶ್ರೀ ಎಚ್. ಕೆ. ಶಿವರುದ್ರಪ್ಪ.—ರೋಡ್ ರೀಕ್ಲಾಸಿಫಿಕೇಷನ್‌ನಲ್ಲಿ ಈ ವಿಷಯ ಬಂದಿಲ್ಲವೆ ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ಪ್ರತಿಯೊಂದು ರಸ್ತೆಯ ರಿಪೇರಿ ವಿಷಯವೂ ಅಲ್ಲಿ ಬರುವುದಿಲ್ಲ.

ಶ್ರೀ ಎಚ್. ಕೆ. ಶಿವರುದ್ರಪ್ಪ.—ರೋಡ್ ರೀಕ್ಲಾಸಿಫಿಕೇಷ್ ಸಮಿತಿಯಲ್ಲಿ ಈ ರಸ್ತೆಯ ವಿಚಾರ ಬರಲಿಲ್ಲವೇ ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ಸಮಿತಿಯಲ್ಲಿ ಬಂದಿದೆ.

ಶ್ರೀ ಎಚ್. ಕೆ. ಶಿವರುದ್ರಪ್ಪ.—ರಿಪೇರಿಗೆ ಮೆಟಲ್ ಜಮಾವಣೆ ಮಾಡಿ ಪುನಃ ಕೆಲಸವನ್ನು ನಿಲ್ಲಿಸಿರುವುದು ತಮ್ಮ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ಬಂದಿಲ್ಲ, ವಿಚಾರಣೆ ಮಾಡುತ್ತೇವೆ.

Repair of tanks in Bangalore South Taluk.

Q.—268. Sri A. V. NARASIMHA REDDY (Bangalore South).—

Will the Government be pleased to state :—

(*a*) the number of applications received for the repair of tanks in Bangalore South Taluk from the year 1951 to this date ;

(*b*) the nature of repair required as mentioned in each application ;

(*c*) the number of tanks repaired so far ?

A.—Sri KADIDAL MANJAPPA (Minister for Revenue and Public Works).—

(*a*) 43.

(*b*) Restoration of tanks, repairs to sluices and waste weirs, maintenance work to tanks, construction of pick-ups and repairs to feeder channels.

(*c*) 20.

ಶ್ರೀ ಎ. ವಿ. ನರಸಿಂಹರೆಡ್ಡಿ.—ದುರಸ್ತಾಗದೇ ಇರುವ ಕೆರೆಗಳು ಯಾವ ಯಾವವು ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—I have got a big list. ಬೇಕಾದರೆ ತೋರಿಸುತ್ತೇನೆ.

ಶ್ರೀ ಎ. ವಿ. ನರಸಿಂಹರೆಡ್ಡಿ.—ದುರಸ್ತಾಗಿರುವ ಕೆರೆಗಳು ಯಾವವು ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ನೋಟೀಸ್.

ಶ್ರೀ ಎ. ವಿ. ನರಸಿಂಹರೆಡ್ಡಿ.—ದುರಸ್ತಾಗದೇ ಇರುವ ಕೆರೆಗಳನ್ನು ಜಾಗ್ರತೆ ದುರಸ್ತು ಮಾಡಿಸಿ ಕೊಡುತ್ತೀರಾ ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ಸಾಧ್ಯವಾದಷ್ಟು ಮಟ್ಟಿಗೆ ಬೇಗ ಮಾಡಿಸುತ್ತೇವೆ.

Construction of Kabini Reservoir.

Q.—271. Sri K. V. BYRE GOWDA (Bangalore North).—

Will the Government be pleased to state :—

(*a*) whether they had taken up the construction of Kabini Reservoir and made provision in the Budget for 1952-53 and 1953-54 ;

(*b*) whether they had actually started the work ;

(*c*) whether they had consulted the Government of Madras or the Government of India or the Planning Commission ;

(*d*) whether they have received any instructions either from the Government of India, or the Planning Commission that this project need not be taken up ?

A.—Sri KADIDAL MANJAPPA (Minister for Revenue and Public Works).—

(*a*) Only preliminary works such as formation of the approach road, etc., had been started. There was a provision of Rs. 5 lakhs in 1952-53 budget but there is no provision in 1953-54 budget.

(*b*) No.

(*c*) Both the Planning Commission and the Government of Madras have been apprised.

(*d*) Yes. The Planning Commission have asked that further steps in regard to the work may be held in abeyance until the project has been examined and consultations have taken place with the Mysore Government in regard to the financing of the project

Sri K. V. BYRE GOWDA.—I have no supplementaries.

Construction of a tank across the Kumadvathi near Marasarahalli, Nelamangala Taluk.

Q.—298. Sri K. PRABHAKAR (Nelamangala—Scheduled Castes).—

Will the Government be pleased to state :—

when they will take up and complete the preliminary survey work of the Marasarahalli Project in Nelamangala Taluk, Kasaba Hobli, near Marasarahalli village across the river Kumadvathy, as per the promises made during the last Session ?

A.—Sri KADIDAL MANJAPPA (Minister for Revenue and Public Works).—

This cannot be taken up as water supply to Bangalore will be affected by the construction of this new tank at Marasarahalli.

ಶ್ರೀ ಕೆ. ಪ್ರಭಾಕರ್.—ಈ ಕೆರೆಯನ್ನು ಕಟ್ಟುವುದರಿಂದ ಬೆಂಗಳೂರಿಗೆ ನೀರು ಸರಬರಾಯಿಗೆ ತೊಂದರೆಯಾಗುತ್ತದೆಂದು ಹೇಳಿದ್ದೀರಿ ; ಯಾವರೀತಿ ತೊಂದರೆಯಾಗುತ್ತದೆ ?

ಅಧ್ಯಕ್ಷರು.— 'Water supply to Bangalore will be affected' ಎಂದು ಉತ್ತರದಲ್ಲಿ ತಿಳಿಸಿದ್ದಾರೆ.

Sri K. PRABHAKAR.—I want to know how it will be affected.

*ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ನೀರು ಕಡಮೆಯಾಗುತ್ತದೆ.

ಶ್ರೀ ಕೆ. ಪ್ರಭಾಕರ್.—1,500 ಎಕರೆ ತರಿ ಆಗುವುದು ಬೇಡ, ಅದರ ಅರ್ಧ ಅಚ್ಚುಕಟ್ಟು ಜಮೀನು ನೀರಾವರಿಯಾಗುವಂತೆ ಮಾಡಬಹುದೆಂದು ಇಂಜನಿಯರಿಂಗ್ ಇಲಾಖೆಯವರು ಮೊದಲೇ ತೀರ್ಮಾನಮಾಡಿದ್ದಾರೆಂಬುದು ಸರ್ಕಾರದವರ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೆ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ಬಂದಿಲ್ಲ.

ಶ್ರೀ ಕೆ. ಪ್ರಭಾಕರ್.—ಅರ್ಧ ಭಾಗದಷ್ಟು capacity ಉಳ್ಳ ಅಣೆಯನ್ನು ಮಾಡಿಸಿಕೊಡಬಹುದೆಂದು ಇಂಜನಿಯರಿಂಗ್ ಇಲಾಖೆಯವರು ಹೇಳಿದರೆ, ಮಾಡಿಸುವುದಕ್ಕೆ ಸಾಧ್ಯವೆ ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ಯೋಚನೆಮಾಡಬೇಕು, ಅಷ್ಟೆ.

Policy adopted in accepting tenders for major works in the P. W. D.

Q.—306. Sri B. M. SEENAPPA (Cubbonpet).—

Will the Government be pleased to state :—

(*a*) whether it has come to their notice that tenders are indented for major works in the Public Works Department ;

(*b*) what is the policy in accepting tenders ;

(*c*) whether it is true that after acceptance of tenders, the original estimate and plan of the work for which the least tender was accepted undergo changes ; if so, the reasons therefor ;

(*d*) whether there are any such instances where deviations are sanctioned involving excess expenditure to the extent of two or three times the original estimate or tender amount, thus resulting in loss to Government ;

(*e*) why such deviations are allowed ?

A.—Sri KADIDAL MANJAPPA (Minister for Revenue and Public Works).—

(*a*) Yes.

(*b*) The lowest valid tender is generally accepted by the Engineer Officers or Government according to the powers delegated in this behalf.

(*c*) This happens, though not always. Deviations from the first approved plan or sanctioned estimate or as common to tendered works as they are to works executed by other systems. These are effected only when necessary, due to the changed needs of the departments for whom the works are executed or for ensuring better construction or greater benefit from the works.